Docket No. 3699 RECEIVED CENTRAL FAX CENTER

DEC 2 1 2010

## AMENDMENTS TO THE CLAIMS:

The following listing of the claims replaces all previous versions, and listings, of the claims. Please cancel claim 37 without prejudice, make the following changes in the claims 32 to 35, and 38, and add new claims 39 to 41:

Claims 1 to 18. (canceled)

19. (withdrawn) An agent for repairing, strengthening and restructuring keratin-containing material and for protecting said keratin-containing material from chemical and mechanical damage, said agent comprising at least one active ingredient selected from the group consisting of compounds of formula (I), salts of the compounds of formula (I), compounds of formula (II) and salts of the compounds of formula (II):

wherein X<sup>-</sup> represents an inorganic or organic, monovalent or polyvalent physiologically unobjectionable anion, and Y<sup>+</sup> represents an inorganic or organic, monovalent or polyvalent physiologically unobjectionable cation.

20. (withdrawn) The agent as defined in claim 19, wherein said compounds of formula (I) and said compounds of formula (II) are of synthetic origin.

12/21/2010 12:32

Ser. No. 10/587,278

Docket No. 3699

21. (withdrawn) The agent as defined in claim 19, wherein said compounds of formula (I) and said compounds of formula (II) are of natural origin.

631 549 0404

- 22. (withdrawn) The agent as defined in claim 19, wherein said compounds of formula (I) and said compounds of formula (II) are constituents of a natural plant extract.
- 23. (withdrawn) The agent as defined in claims 19, wherein said at least one active ingredient is one of said compounds of formula (II) in a pure, betainic form thereof or one of said salts of said compounds of formula (II).
- 24. (withdrawn) The agent as defined in claims 19, wherein said anion is selected from the group consisting of formate, tartrate, oxalate, aspartate, glutamate, acetate, citrate, chloride, bromide, iodide, sulfate, hydrogen sulfate, phosphate, monohydrogen phosphate, dihydrogen phosphate, hydroxide, carbonate and nitrate and said cation is selected from the group consisting of protons, alkali metal cations, alkaline earth metal cations, subgroup metal cations, ammonium cations, primary amine cations, secondary amine cations, tertiary amine cations, quaternary amine cations, hydrazide cations and hydroxylammonium cations.
- 25. (withdrawn) The agent as defined in claim 19, wherein said cation is a lithium cation, a sodium cation, a potassium cation, a calcium cation or a magnesium

Docket No. 3699

cation.

- 26. (withdrawn) The agent as defined in claim 19, wherein said cation is an aluminum cation, an iron cation, a zinc cation, a copper cation, a manganese cation or a silver cation.
- 27. (withdrawn) The agent as defined in claim 19, containing from 0.001 to 30.0 percent by weight of said at least one active ingredient.
- 28. (withdrawn) The agent as defined in claim 19, containing from 0.05 to 10.0 percent by weight of said at least one active ingredient.
- 29. (withdrawn) The agent as defined in claim 19, in the form of an aqueous or aqueous-alcoholic solution, emulsion, foam, cream or gel.
- 30. (withdrawn) The agent as defined in claim 19, further comprising water and/or an alcohol, and having a pH of from 3.0 to 9.0.
- 31. (withdrawn) The agent as defined in claim 19, further comprising at least one auxiliary ingredient selected from the group consisting of solvents, dissolution promoters, anionic surfactants, cationic surfactants, amphoteric surfactants, nonionic surfactants, thickeners, inorganic salts, buffering substances, thiols, ketocarboxylic acids, salts of ketocarboxylic acids, UV absorbers, perfumes,

Docket No. 3699

dyes, conditioners, hair-swelling agents, preservatives, petrolatum, parafiin oil, fatty acids, hair-care agents and propellants.

- 32. (currently amended) A method of [[for]] repairing, strengthening, and restructuring hair-keratin-containing material and for protecting said material from mechanical and chemical damage, said method comprising the steps of:
- a) providing an agent comprising at least one active ingredient selected from the group consisting of <u>a compound compounds</u> of formula (I)[[,]] <u>salts of the compounds of formula (I)</u>[[,]] <u>and compounds of formula (II)</u>:

wherein X<sup>-</sup> represents an inorganic or organic, monovalent or polyvalent physiologically unobjectionable anion, and Y<sup>+</sup> represents an inorganic or organic, monovalent or polyvalent physiologically unobjectionable cation;

- b) bringing said agent in contact with said <u>hair keratin containing material</u> at a temperature between 10 and 70°C for a time period of 1 to 60 minutes; and
- c) subsequently rinsing said agent out of said <u>hair keratin-containing</u>
- 33. (currently amended) The method as defined in claim 32, wherein said hair

Docket No. 3699

keratin-containing-material-is weakened and/or damaged prior to bringing said agent in contact with said hair keratin-containing material.

631 549 0404

34. (currently amended) The method as defined in claim 32, wherein the agent is brought in contact with the hair keratin containing material before, during or after exposure of the hair keratin-containing material to chemical and/or physical noxae.

35. (currently amended) The method as defined in claim 32, wherein the agent is brought in contact with the hair keratin containing material before a chemical treatment and/or physical treatment of the hair keratin-containing material.

36. (previously presented) The method as defined in claim 35, wherein the chemical treatment comprises dyeing, tinting, bleaching or permanent deformation.

Claim 37. (canceled)

38. (currently amended) The method as defined in claim [[37]] 32, wherein said hair is human hair the keratin fibers are human hairs.

39. (new) The method as defined in claim 32, wherein said at least one active ingredient is selected from the group consisting of a hydrochloride of said

Docket No. 3699

compound of formula (I), a citrate of said compound of formula (I) and an acetate of said compound of formula (I).

- 40. (new) A method of increasing tear strength or rubbing resistance of hair, said method comprising the steps of:
- a) providing an agent comprising at least one active ingredient selected from the group consisting of a compound of formula (I) and compounds of formula (II):

wherein X represents an inorganic or organic, monovalent or polyvalent physiologically unobjectionable anion, and Y represents an inorganic or organic, monovalent or polyvalent physiologically unobjectionable cation;

- b) bringing said agent in contact with said hair at a temperature between 10 and 70°C for a time period of 1 to 60 minutes; and
- c) subsequently rinsing said agent out of said hair;
  whereby said tear resistance or said abrasion resistance of said hair is
  strengthened.
- 41. (new) The method as defined in claim 40, wherein said at least one active ingredient is selected from the group consisting of a hydrochloride of said

From:Striker Striker & Stenby

Ser. No. 10/587,278

Docket No. 3699

compound of formula (I), a citrate of said compound of formula (I) and an acetate of said compound of formula (I).